

CITY OF HOUSTON

Bill White

) erso w

Mayor

P.O. Box 1562 Houston, Texas 77251-1562

Telephone - Dial 311 www.citvofhouston.gov

To: Community Partners

From: David E. Persse, MD

Local Health Authority

Houston Department of Health and

Human Services

Date: October 14, 2004

Thru: David R. Miller, Bureau Chief

Immunizations

As you know, Chiron Corporation will not be able to distribute its influenza vaccine for the 2004-2005 flu season. The Houston Department of Health and Human Services (HDHHS) planned to order vaccine from Chiron, through the Department of State Health Services (DSHS). Therefore, the health department has no flu vaccine for the adult population and no means of acquiring vaccine at this time. We will only provide vaccine for VFC eligible children 0 to 18 years that fall within CDC and ACIP recommendations. We are encouraging the residents of Houston to take a proactive stance and protect themselves as much as possible from contracting the flu. We have gathered information that is critical in reducing flu transmission and we hope that you will share with clients, parents, and staff.

There are individuals that meet qualifications for receiving the flu shot this year and we are encouraging them to check with their personal physician to obtain the flu vaccine. Others, who do not fit the high risk profile, should be advised to forego or defer the flu vaccine this year. Your assistance in delivering risk reduction messages related to flu transmission is appreciated.





October 12, 2004

RE: Houston - Harris County Flu Vaccine Shortage Response Plan

Dear Health Care Provider:

As you know, the United States is facing a shortage of approximately 48 million doses of influenza (flu) vaccine, leaving a shortfall of nearly 50% of the nation's anticipated supply for the 2004-2005 flu season. Specifically, the shortage results from last week's announcement by Chiron Corporation that the company's license to manufacture Fluviron® in its Liverpool, England facility was suspended for three months. As a result, no Fluviron® will be available for distribution in the U.S. for the current flu season.

In addition to the **overall shortage**, we are also facing the challenge **uneven distribution** of vaccine across the nation. For example, some health care facilities (e.g. hospitals, physician offices, pharmacies) may have received supplies that exceed the numbers of patients they have in high-risk categories, while other facilities have received no doses whatsoever.

Harris County Public Health and Environmental Services (HCPHES) and the Houston Department of Health and Human Services (HDHHS) urgently seek your assistance to ensure that our community's vulnerable populations are protected.

In order to ensure we use our community resources efficiently, HDHHS and HCPHES are working together to implement a vaccine shortage response plan that includes the coordination of vaccine distribution and re-distribution in our area. As a result, we strongly recommend that all health care providers in the Houston-Harris County area:

- educate your patients about who should get vaccinated and about other ways to prevent flu (see attached information sheets)
- restrict flu vaccine only to those of your patients that meet CDC guidelines for being at greatest risk from serious complications of flu (see attached information sheets)
- complete the attached survey and return by fax or email by Thursday, October 14, 2004 to either HCPHES or HDHHS (see contact information with survey)

Thank you in advance for joining us in this important effort to protect our community to the maximum extent possible under these challenging circumstances.

Sincerely,

Stephen L. Williams Director, HDHHS Herminia Palacio, MD, MPH Executive Director, HCPHES

Is it a Cold or the Flu?

Check your symptoms, and ask your doctor for advice. Remember, a **flu shot** is your best protection against the flu.

Symptoms	Cold	Flu
Fever	Rare in adults and older children, but can be as high 102°F in infants and small children.	Usually 102°F, but can go up to 104°F and usually last 3 to 4 days
Headache	Rare	Sudden onset and can be severe
Muscle aches	Mild	Usual, and often severe
Tiredness and weakness	Mild	Can last 2 or more weeks
Extreme exhaustion	Never	Sudden onset and can be severe
Runny nose	Often	Sometimes
Sneezing	Often	Sometimes
Sore throat	Often	Sometimes
Cough	Mild hacking cough	Usual, and can become severe

For more information

Ask your health care provider or call the CDC Immunization Hot Line

English: 1-800-232-2522 Español: 1-800-232-0233 <u>www.cdc.gov/nip/flu</u>





Germ-Free Zone



- Don't spread germs.
- No transmita microbios.



- · Cover your cough.
- Tápese la boca al toser.



- Wash your hands often.
- Lávese sus manos con frecuencia.

Zona Sin Microbios



Germ-Free Zone



- Đừng làm lây lan vi trùng.
- Tsis txhob kis kabmob rau lwm tus.
- ចូរកុំចំឡុងមេរោគទៅអ្នកដទៃ
- ป่าหม่อะพยายเรื้อพะยาก.
- Don't spread germs.



- Che miệng khi ho.
- Npog qhov-ncauj thaum hnoos.
- ត្រូវគ្របមាត់របស់អ្នកនៅពេលក្អក
- ใช้อีกปากเวลาข่านไอ.
- Cover your cough.




- Thường xuyên rửa tay.
- Nquag ntxuav koj ob txhais tes.
- ត្រូវលាងដៃរបស់អ្នកឲ្យបានញឹកញាប់
- ล้างมีอองท่านเลื้อยๆ.
- Wash your hands often.

Keep Our School Flealthy

Check your students for these signs of illness:



- ✓ Coughing, with other signs of illness
- ✓ Fever or Chills
- ✓ Sore throat or trouble swallowing
- ✓ Headache
- ✓ Muscle aches
- ✓ Sneezing
- ✓ Vomiting
- ✓ Diarrhea
- ✓ Breathing trouble
- ✓ Unusual spots or rashes



Send a sick child home

Stop the spread of disease at school.

Don't spread cold and flu germs. Don't make people sick. iPare la propagación de gérmenes que lo enferman a usted y otras personas!

Cover Your Cough

Cubra su tos

Cover your mouth and nose when you cough.

> Cubra su boca y nariz cuando tosa o estornude.



Use a tissue or sneeze into your upper sleeve.

> Tosa o estornude en un pañuelo o en la manga de su camisa.

Place used tissue in a trash can.

Deseche el pañuelo sucio en un basurero.

Clean
your
Hands
Lavése
las
Manos



Wash with soap and water or an alcohol-based hand cleaner.

> Lávese con agua tibia y jabón o límpiese con un limpiador de manos a base de alcohol.

